

Notice of Allowability

Application No.

10/566,244

Applicant(s)

PARUSEL ET AL.

Examiner

Christopher E. Mahoney

Art Unit

2862

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the preliminary amendment filed January 30, 2006.
2. ☒ The allowed claim(s) is/are 1-26.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some* c) ☐ None of the:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date 1/30/06 329/06
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: The prior art does not teach a rear projection screen comprising, in combination with the additionally recited elements, spherical scattering particles (A) and

spherical particles (B) with a different median particle size different than the median particle size of the spherical scattering particles (A), spherical scattering particles (A) have a median size in the range from 0.1 to 40 μm , the difference between the refractive index of the spherical scattering particles (A) and that of the polymethyl methacrylate matrix being in the range from 0.02 to 0.2,

wherein the total concentration of the spherical scattering particles (A) and particles (B) is in the range from 1 to 60% by weight, based on the weight of the light-scattering polymethyl methacrylate layer, wherein the concentration of the spherical scattering particles (A) C_{pA} , the thickness of the light-scattering polymethyl methacrylate layer ds and the size of the spherical scattering particles (A) D_{pA} is selected in such a way that the ratio $C_{pA} * ds / D_{pA}^3$ is in the range from 0.001 to 0.015% by weight*mm/ μm^3 , the concentration of the spherical particles (B) C_{pB} ,

wherein the thickness of the light-scattering polymethyl methacrylate layer ds and the size of the spherical particles (B) D_{pB} is selected in such a way that the ratio $C_{pB} * ds / D_{pB}^3$ is in the range from 0.000005 to 0.002% by weight*mm μm^3 and the ratio of the square of average surface roughness R_z to the third power of the size of the spherical particles (b) R_z^3 is in the range from 0.0002 to 0.1300 μm^{-1} .


Art Unit: 2862

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher E. Mahoney whose telephone number is (571) 272-2122. The examiner can normally be reached on 8:30AM-5PM, Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick Assouad can be reached on (571) 272-2210. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Christopher E Mahoney
Primary Examiner
Art Unit 2862